

KYOSAFE XP 821 N P702LZW

Cut-resistant glove TDM D

Benefits

- Very good cut protection : TDM D
- CUT XP Gauge 18 : comfort unique thanks to an extremely fine knitting
- Contact heat resistant
- Glove without glass fibers or stainless steel
- Touchscreen

Uses

- Handling of greasy or oily sharp objects
- Assembly workstations
- Waste collection
- Automobile industry
- Glass and metal industries
- Metal-working industry

Packaging

- Unit of sale: pair
- Set of 5 pairs
- Box of 50 pairs

Size	Code	Size	Code
T6 - XS	67 447 514	T9 - L	67 447 549
T7 - S	67 447 522	T10 - XL	67 447 557
T8 - M	67 447 530	T11 - XXL	67 447 565



KYORENE®
THE GRAPHENE FIBER



TOUCHSCREEN



THERMAL PROTECTION

Description

- Glove made of KYORENE® fibre made from graphene, a material with a range of impressive properties
- 18 CUT XP gauge knitting for a unique comfort experience
- Excellent grip even in oily and greasy conditions
- Very flexible nitrile foam sandy coating on palm and fingers
- Nitrile reinforcement between thumb and index finger for improved durability

Category II gloves designed to provide protection against mechanical risks only

Composition

- Material : 18-Gauge KYORENE® spandex knit
- Coating : Black nitrile foam sandy
- Length : 22 to 27 cm depending on size



STANDARD 100
CQ 1331/1
IFTH

Standards



4342D

Abrasion resistance	4/4
Cut resistance (coup test)	3/5
Tear resistance	4/4
Puncture resistance	2/4
Cut resistance (TDM test)	D



X1XXXX

Resistance to flammability	X/4
Contact heat	1/4
Convective heat	X/4
Radiant heat	X/4
Small splashes of molten metal	X/4
Large splashes of molten metal	X/4

"X" means that the test has not been performed

